





SLIM KI

The SLIM KIT uses a completely new surface mounting outdoor station. The front panel, is of a slim design. The panel is manufactured from one piece of die-cast aluminium alloy which gives substantial strength to the outdoor station.

The outdoor station circuitry has a built-in lock relay, this reduces the cable requirements to only 4 wires ("3+1") between the outdoor station and the intercom. The reduced cable requirement allows longer cable runs and reduced cable sizes to be used between the two units. The outdoor station is provided with a 3mt length cable.

SLK

One button door entry kit comprised of:

1 Art.436 Surface mount slim line outdoor station with built in lock relay.

1 Art.3011 3000 Series Smart Line wall mount telephone with "door open" push button and electronic call tone with adjustable volume on 3 levels.

1 Art.321 Power Supply in a type A 3 module DIN box. 1 Packing: box 24,5 x 25,5 x 6,5 cm total weight 1,5 Kg

SLIM KIT

Lo SLIM KIT utilizza un posto esterno completamente nuovo con montaggio esclusivamente da superficie. La parte frontale dal design particolarmente compatto è realizzata in un pezzo unico in lega di alluminio pressofuso che gli conferisce estrema robustezza.

L'elettronica di cui è dotato incorpora il relè di asservimento per l'attivazione della serratura elettrica: questo permette di avere solo 4 fili ("3+1") tra posto esterno e citofono e di poter utilizzare fili dalla sezione ridotta anche per coprire lunghe distanze tra le due unità. Il posto esterno è fornito con cavo di collegamento lungo 3m pre-assemblato.

SLK

Kit citofonico monofamiliare comprensivo di:

- 1 Art.436 Posto esterno compatto da superficie con relè di asservimento incorporato (per la serratura elettrica).
- 1 Art.3011 Citofono serie 3000 linea smart installabile a parete, con pulsante "apri-porta" ed ingresso per chiamata tramite nota elettronica con volume regolabile su 3 livelli.
- 1 Art.321 Alimentatore in contenitore DIN tipo A 3 Moduli. Imballo: Scatola 24,5x25,5x6,5 cm peso complessivo di 1,5 Kg.

